



भारत सरकार /Government of India  
वाणिज्य और उद्योग मंत्रालय /Ministry of Commerce & Industry  
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पैसो) /Petroleum & Explosives Safety Organisation (PESO)  
8-एस्प्लेनेड पूर्व, पहली मंजिल  
कोलकाता (प.बं.)- 700069  
8, Esplanade East,  
1st floor,  
Kolkata - 700069

ईमेल/E-mail : [jtcceekolkata@explosives.gov.in](mailto:jtcceekolkata@explosives.gov.in)  
दूरभाष/Phone/Fax No : 033 - 22486600,22480427

सं/ No :G/EC/OR/05/23 & G/EC/OR/06/643 (G130687)  
सेवा में /To,

दि/ Dated : 12/08/2024

M/s. SAI RAM OXYGEN (PROP.- PRAKASH CHANDRA DHAL),  
3278/4591, 3268, 3278, 3278/4970,  
RANTALEI,  
Taluka: Anugul,  
District: ANGUL  
State: Odisha  
Pin : 759122

विषय/Sub : Plot No, 3278/4591, 3268, 3278, 3278/4970, Respective KHATIAN NO.- 505/789, 505/726, 505/1418, 505/1391, (WITHIN FACTORY PREMISES) FROM ANGUL- BADKERA(6KM) ROAD (NH-55, Sambalpur-Cutak), RANTALEI, Anugul, Taluka: Anugul, District: ANGUL, State: Odisha, Pin : 759122 में सिलिण्डरों में ARGON,CARBON DIOXIDE,NITROGEN,OXYGEN ARGON,CARBON DIOXIDE,NITROGEN,OXYGEN गैस का भरण-एवं भण्डारण गोडाउन- गैस सिलेण्डर्स नियम, 2016 के अंतर्गत अनुज्ञप्ति जारी करने के बारे में/Filling of ARGON,CARBON DIOXIDE,NITROGEN,OXYGEN and Storage of ARGON,CARBON DIOXIDE,NITROGEN,OXYGEN in Cylinders at Plot No, 3278/4591, 3268, 3278, 3278/4970, Respective KHATIAN NO.- 505/789, 505/726, 505/1418, 505/1391, (WITHIN FACTORY PREMISES) FROM ANGUL- BADKERA(6KM) ROAD (NH-55, Sambalpur-Cutak), RANTALEI, Anugul, Taluka: Anugul, District: ANGUL, State: Odisha, Pin : 759122 under Gas Cylinders Rules, 2016 - Grant of licence regarding.

महोदय/Sir(s),

कृपया आपके दि 09/08/2024 के पत्र सं. OIN1736874 का संदर्भ ग्रहण करें/ Please refer to your application No.OIN1736874 dated 09/08/2024 .

Anugul स्थित भंडारण शेड में सिलिण्डरों में ARGON,CARBON DIOXIDE,NITROGEN,OXYGEN का भरण एवं ARGON,CARBON DIOXIDE,NITROGEN,OXYGEN गैस का भंडारण गैस सिलेण्डर नियम, 2016 के अंतर्गत फार्म 'डू' और 'एफ' में आपके नाम से जारी दि.30 सितंबर, 2016 तक वैध।Aug 12, 2024 की अनुज्ञप्ति सं. G/EC/OR/05/23 & G/EC/OR/06/643की दो प्रतियां इसके साथ अग्रेषित की जा रही हैं।/ Licence No. G/EC/OR/05/23 & G/EC/OR/06/643 both dated Aug 12, 2024 granted in Form 'E' & 'F' under Gas Cylinders Rules, 2016 granted in your favour and valid upto 30<sup>th</sup> September, 2033 for filling in the plant of ARGON,CARBON DIOXIDE,NITROGEN,OXYGEN gas into cylinders and for storage of ARGON,CARBON DIOXIDE,NITROGEN,OXYGEN of filled ARGON - 50 Nos., CARBON DIOXIDE - 40 Nos., NITROGEN - 50 Nos., OXYGEN - 100 Nos., in cylinders in the storage shed at Anugul, is sent here with.

कृपया नोट करें कि गैस सिलेण्डर नियम, 2016 के नियम 55(5) के अनुसार, अनुज्ञप्ति के पुनः नवीकरण हेतु आवेदन The Dy. Chief Controller of Explosives, Bhubaneswar इस कार्यालय को इस अनुज्ञप्ति की वैधता समाप्त होने के पूर्व (दिनांक 30 सितंबर 2015 को या इससे पूर्व) जमा कर दें। दिनांक 30 सितंबर 2033 के पश्चात परंतु दिनांक 30 सितंबर 2034 से पूर्व प्राप्त नवीनीकरण आवेदन, गैस सिलेण्डर नियम, 2016 के नियम 55(7) के अनुसार विलंब शुल्क के साथ ही विचारार्थीन होगा। दिनांक 30 सितंबर 2016 तक कोई नवीनीकरण आवेदन प्राप्त नहीं होने की स्थिति में यह अनुज्ञप्ति स्वतः निरस्त हो जाएगी।/Please note that application for renewal of the licence should be submitted so as to reach the The Dy. Chief Controller of Explosives, Bhubaneswar before the licence expires (i.e. on or before 30<sup>th</sup> September, 2033) as required under Rule 55(5) of Gas Cylinder Rules, 2016. Application for renewal of licence received after 30<sup>th</sup> September, 2033 but not later than 30<sup>th</sup> September, 2034 shall be considered only with late fee applicable vide Rule 55(7) (a)(b) of said Rules. The licence will automatically expire if no application is received upto 30<sup>th</sup> September, 2034.

फिर भी यह अनुमोदन/ अनुज्ञप्ति यथा लागू अन्य, विधियों या अन्य प्राधिकारियों से अनुमति/ प्राप्त करने से छूट नहीं देती/This approval/permission,however,does not absolve from obtaining necessary permission/clearance from other authorities or under other statutes as applicable.

भवदीय/ Yours faithfully,

संलग्नक/ Encl : As above

((अजय सिंह)  
(Ajai Singh)  
उप मुख्य विस्फोटक नियंत्रक  
Dy. Chief Controller of Explosives  
कृते संयुक्त मुख्य विस्फोटक नियंत्रक  
For Jt. Chief Controller of Explosives  
कोलकाता (प.बं.)/Kolkata

Copy forwarded to :-

1. The Dy. Chief Controller of Explosives, Bhubaneswar. A Copy of the licence along with approved plan is enclosed.  
A copy of the licence and one set of bio-data of personnel referred to above are forwarded here with for his office record.

For Jt. Chief Controller of Explosives  
Kolkata  
कृते संयुक्त मुख्य विस्फोटक नियंत्रक  
कोलकाता (प.बं.)

[अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क0 तथा अन्य2 विवरण के लिए कृपया हमारी वेबसाइट <http://peso.gov.in> देखें।](For more information regarding status,fees and other details please visit our website <http://peso.gov.in>)

**Note:-This is system generated document does not require physical signature.**